



November 4, 2019

Ventura River Water District
409 Old Baldwin Rd.
Ojai, CA 93023

Subject: Subcontract Analysis for FGL Lab No. SP 1914013

Enclosed please find results for the following sample(s) which were received by FGL.

- Sub Contracted-PFOS/PFOA EPA 537.1

Please note that this analysis was performed by Babcock Laboratories, Inc. (ELAP Certified Laboratory)

Thank you for using FGL Environmental.

Sincerely,

Cindy Aguirre



Digitally signed by Cindy Aguirre
Title: Customer Service Rep
Date: 2019-11-04

Enclosure



BABCOCK Laboratories, Inc.

The Standard of Excellence for Over 100 Years

Client Name: FGL Environmental, Inc.
Contact: Cindy Aguirre
Address: 853 Corporation Street
Santa Paula, CA 93060

Analytical Report: Page 1 of 11
Project Name: No Project
Project Number: SP 1914013 - (2-6317)

Report Date: 01-Nov-2019

Work Order Number: B9J2830
Received on Ice (Y/N): Yes Temp: 1 °C

Attached is the analytical report for the sample(s) received for your project. Below is a list of the individual sample descriptions with the corresponding laboratory number(s). Also, enclosed is a copy of the Chain of Custody document (if received with your sample(s)). Please note any unused portion of the sample(s) may be responsibly discarded after 30 days from the above report date, unless you have requested otherwise.

Thank you for the opportunity to serve your analytical needs. If you have any questions or concerns regarding this report please contact our client service department.

Sample Identification

<u>Lab Sample #</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Date Sampled</u>	<u>By</u>	<u>Date Submitted</u>	<u>By</u>
B9J2830-01	Well 01 (1989)	Water	10/15/19 8:43	Mark Albertsen	10/18/19 09:52	GSO
B9J2830-03	Well 03 - Active	Water	10/15/19 9:05	Mark Albertsen	10/18/19 09:52	GSO



BABCOCK Laboratories, Inc.
The Standard of Excellence for Over 100 Years

Client Name: FGL Environmental, Inc.
 Contact: Cindy Aguirre
 Address: 853 Corporation Street
 Santa Paula, CA 93060

Analytical Report: Page 2 of 11
 Project Name: No Project
 Project Number: SP 1914013 - (2-6317)

Report Date: 01-Nov-2019

Work Order Number: B9J2830
 Received on Ice (Y/N): Yes Temp: 1 °C

Laboratory Reference Number

B9J2830-01

<u>Sample Description</u>	<u>Matrix</u>	<u>Sampled Date/Time</u>	<u>Received Date/Time</u>
Well 01 (1989)	Water	10/15/19 08:43	10/18/19 9:52

<u>Analyte(s)</u>	<u>Result</u>	<u>RDL</u>	<u>Units</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Analyst</u>	<u>Flag</u>
Perfluorinated Compounds by EPA 537.1							
Hexafluoropropylene oxide dimer acid (HFPO-DA)	ND	2.0	ng/L	EPA 537.1	10/29/19 23:34	DIS	
N-EtFOSAA	ND	2.0	ng/L	EPA 537.1	10/29/19 23:34	DIS	
N-MeFOSAA	ND	2.0	ng/L	EPA 537.1	10/29/19 23:34	DIS	
Perfluorobutanesulfonic Acid (PFBS)	ND	2.0	ng/L	EPA 537.1	10/29/19 23:34	DIS	
Perfluorodecanoic Acid (PFDA)	ND	2.0	ng/L	EPA 537.1	10/29/19 23:34	DIS	
Perfluorododecanoic Acid (PFDoDA)	ND	2.0	ng/L	EPA 537.1	10/29/19 23:34	DIS	
Perfluoroheptanoic Acid (PFHpA)	ND	2.0	ng/L	EPA 537.1	10/29/19 23:34	DIS	
Perfluorohexanesulfonic Acid (PFHxS)	ND	2.0	ng/L	EPA 537.1	10/29/19 23:34	DIS	
Perfluorohexanoic Acid (PFHxA)	ND	2.0	ng/L	EPA 537.1	10/29/19 23:34	DIS	
Perfluorononanoic Acid (PFNA)	ND	2.0	ng/L	EPA 537.1	10/29/19 23:34	DIS	
Perfluorooctanesulfonic Acid (PFOS)	ND	2.0	ng/L	EPA 537.1	10/29/19 23:34	DIS	
Perfluorooctanoic Acid (PFOA)	ND	2.0	ng/L	EPA 537.1	10/29/19 23:34	DIS	
Perfluorotetradecanoic Acid (PFTeDA)	ND	2.0	ng/L	EPA 537.1	10/29/19 23:34	DIS	
Perfluorotridecanoic Acid (PFTTrDA)	ND	2.0	ng/L	EPA 537.1	10/29/19 23:34	DIS	
Perfluoroundecanoic Acid (PFUnA)	ND	2.0	ng/L	EPA 537.1	10/29/19 23:34	DIS	
11-chloroeicosafluoro 3oxaundecane-1-sulfonic Acid	ND	2.0	ng/L	EPA 537.1	10/29/19 23:34	DIS	
9-chlorohexadecafluoro-3-oxanon e-1-sulfonic Acid	ND	2.0	ng/L	EPA 537.1	10/29/19 23:34	DIS	
4,8-dioxa-3H-perfluorononanoic Acid (ADONA)	ND	2.0	ng/L	EPA 537.1	10/29/19 23:34	DIS	
Surrogate: N-EtFOSAA-D5	85.7	% 70-130		EPA 537.1	10/29/19 23:34	DIS	
Surrogate: 13C-PFDA	108	% 70-130		EPA 537.1	10/29/19 23:34	DIS	
Surrogate: 13C-PFHxA	92.2	% 70-130		EPA 537.1	10/29/19 23:34	DIS	
Surrogate: 13C-HFPO-DA	92.2	% 70-130		EPA 537.1	10/29/19 23:34	DIS	

mailing
 P.O Box 432
 Riverside, CA 92502-0432

location
 6100 Quail Valley Court
 Riverside, CA 92507-0704

P 951 653 3351
 F 951 653 1662
 www.babcocklabs.com

CA ELAP No. 2698
 EPA No. CA00102
 NELAP No. OR4035
 LACSD No. 10119



BABCOCK Laboratories, Inc.
The Standard of Excellence for Over 100 Years

Client Name: FGL Environmental, Inc.
 Contact: Cindy Aguirre
 Address: 853 Corporation Street
 Santa Paula, CA 93060

Analytical Report: Page 3 of 11
 Project Name: No Project
 Project Number: SP 1914013 - (2-6317)

Report Date: 01-Nov-2019

Work Order Number: B9J2830
 Received on Ice (Y/N): Yes Temp: 1 °C

Laboratory Reference Number

B9J2830-03

<u>Sample Description</u>	<u>Matrix</u>	<u>Sampled Date/Time</u>	<u>Received Date/Time</u>
Well 03 - Active	Water	10/15/19 09:05	10/18/19 9:52

Analyte(s)	Result	RDL	Units	Method	Analysis Date	Analyst	Flag
Perfluorinated Compounds by EPA 537.1							
Hexafluoropropylene oxide dimer acid (HFPO-DA)	ND	2.0	ng/L	EPA 537.1	10/30/19 00:02	DIS	
N-EtFOSAA	ND	2.0	ng/L	EPA 537.1	10/30/19 00:02	DIS	
N-MeFOSAA	ND	2.0	ng/L	EPA 537.1	10/30/19 00:02	DIS	
Perfluorobutanesulfonic Acid (PFBS)	ND	2.0	ng/L	EPA 537.1	10/30/19 00:02	DIS	
Perfluorodecanoic Acid (PFDA)	ND	2.0	ng/L	EPA 537.1	10/30/19 00:02	DIS	
Perfluorododecanoic Acid (PFDoDA)	ND	2.0	ng/L	EPA 537.1	10/30/19 00:02	DIS	
Perfluoroheptanoic Acid (PFHpA)	ND	2.0	ng/L	EPA 537.1	10/30/19 00:02	DIS	
Perfluorohexanesulfonic Acid (PFHxS)	ND	2.0	ng/L	EPA 537.1	10/30/19 00:02	DIS	
Perfluorohexanoic Acid (PFHxA)	ND	2.0	ng/L	EPA 537.1	10/30/19 00:02	DIS	
Perfluorononanoic Acid (PFNA)	ND	2.0	ng/L	EPA 537.1	10/30/19 00:02	DIS	
Perfluorooctanesulfonic Acid (PFOS)	ND	2.0	ng/L	EPA 537.1	10/30/19 00:02	DIS	
Perfluorooctanoic Acid (PFOA)	ND	2.0	ng/L	EPA 537.1	10/30/19 00:02	DIS	
Perfluorotetradecanoic Acid (PFTeDA)	ND	2.0	ng/L	EPA 537.1	10/30/19 00:02	DIS	
Perfluorotridecanoic Acid (PFTTrDA)	ND	2.0	ng/L	EPA 537.1	10/30/19 00:02	DIS	
Perfluoroundecanoic Acid (PFUnA)	ND	2.0	ng/L	EPA 537.1	10/30/19 00:02	DIS	
11-chloroeicosafluoro 3oxaundecane-1-sulfonic Acid	ND	2.0	ng/L	EPA 537.1	10/30/19 00:02	DIS	
9-chlorohexadecafluoro-3-oxanon e-1-sulfonic Acid	ND	2.0	ng/L	EPA 537.1	10/30/19 00:02	DIS	
4,8-dioxa-3H-perfluorononanoic Acid (ADONA)	ND	2.0	ng/L	EPA 537.1	10/30/19 00:02	DIS	
Surrogate: N-EtFOSAA-D5	90.0	% 70-130		EPA 537.1	10/30/19 00:02	DIS	
Surrogate: 13C-PFDA	106	% 70-130		EPA 537.1	10/30/19 00:02	DIS	
Surrogate: 13C-PFHxA	89.9	% 70-130		EPA 537.1	10/30/19 00:02	DIS	
Surrogate: 13C-HFPO-DA	80.5	% 70-130		EPA 537.1	10/30/19 00:02	DIS	



BABCOCK Laboratories, Inc.
The Standard of Excellence for Over 100 Years

Client Name: FGL Environmental, Inc.
 Contact: Cindy Aguirre
 Address: 853 Corporation Street
 Santa Paula, CA 93060

Analytical Report: Page 4 of 11
 Project Name: No Project
 Project Number: SP 1914013 - (2-6317)

Report Date: 01-Nov-2019

Work Order Number: B9J2830
 Received on Ice (Y/N): Yes Temp: 1 °C

Travel Blank

Perfluorinated Compounds by EPA 537.1 - Batch Quality Control

Analyte(s)	Result	RDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Flag
Batch 9J28091 - SPE										
Blank (9J28091-BLK1)										
Prepared: 10/28/19 Analyzed: 10/29/19										
Hexafluoropropylene oxide dimer acid (HFPO-DA)	ND	2.0	ng/L							
N-EtFOSAA	ND	2.0	ng/L							
N-MeFOSAA	ND	2.0	ng/L							
Perfluorobutanesulfonic Acid (PFBS)	ND	2.0	ng/L							
Perfluorodecanoic Acid (PFDA)	ND	2.0	ng/L							
Perfluorododecanoic Acid (PFDoDA)	ND	2.0	ng/L							
Perfluoroheptanoic Acid (PFHpA)	ND	2.0	ng/L							
Perfluorohexanesulfonic Acid (PFHxS)	ND	2.0	ng/L							
Perfluorohexanoic Acid (PFHxA)	ND	2.0	ng/L							
Perfluorononanoic Acid (PFNA)	ND	2.0	ng/L							
Perfluorooctanesulfonic Acid (PFOS)	ND	2.0	ng/L							
Perfluorooctanoic Acid (PFOA)	ND	2.0	ng/L							
Perfluorotetradecanoic Acid (PFTeDA)	ND	2.0	ng/L							
Perfluorotridecanoic Acid (PFTrDA)	ND	2.0	ng/L							
Perfluoroundecanoic Acid (PFUnA)	ND	2.0	ng/L							
11-chloroeicosafluoro 3oxaundecane-1-sulfonic	ND	2.0	ng/L							
9-chlorohexadecafluoro-3-ox anone-1-sulfonic Acid	ND	2.0	ng/L							
4,8-dioxa-3H-perfluoronan oic Acid (ADONA)	ND	2.0	ng/L							
Surrogate: N-EtFOSAA-D5	139		ng/L	160		86.9	70-130			
Surrogate: 13C-PFDA	41.6		ng/L	40.0		104	70-130			
Surrogate: 13C-PFHxA	38.5		ng/L	40.0		96.3	70-130			
Surrogate: 13C-HFPO-DA	29.2		ng/L	40.0		72.9	70-130			
LCS (9J28091-BS1)										
Prepared: 10/28/19 Analyzed: 10/29/19										
Hexafluoropropylene oxide dimer acid (HFPO-DA)	1.4	2.0	ng/L	2.00		68.8	50-150			
N-EtFOSAA	1.8	2.0	ng/L	2.00		90.7	50-150			

mailing
 P.O Box 432
 Riverside, CA 92502-0432

location
 6100 Quail Valley Court
 Riverside, CA 92507-0704

P 951 653 3351
 F 951 653 1662
 www.babcocklabs.com

CA ELAP No. 2698
 EPA No. CA00102
 NELAP No. OR4035
 LACSD No. 10119



BABCOCK Laboratories, Inc.
The Standard of Excellence for Over 100 Years

Client Name: FGL Environmental, Inc.
 Contact: Cindy Aguirre
 Address: 853 Corporation Street
 Santa Paula, CA 93060

Analytical Report: Page 5 of 11
 Project Name: No Project
 Project Number: SP 1914013 - (2-6317)

Report Date: 01-Nov-2019

Work Order Number: B9J2830
 Received on Ice (Y/N): Yes Temp: 1 °C

Travel Blank

Perfluorinated Compounds by EPA 537.1 - Batch Quality Control

Analyte(s)	Result	RDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Flag
Batch 9J28091 - SPE										
LCS (9J28091-BS1)										
				Prepared: 10/28/19		Analyzed: 10/29/19				
N-MeFOSAA	1.9	2.0	ng/L	2.00		95.2	50-150			
Perfluorobutanesulfonic Acid (PFBS)	1.7	2.0	ng/L	1.77		97.0	50-150			
Perfluorodecanoic Acid (PFDA)	2.2	2.0	ng/L	2.00		108	50-150			
Perfluorododecanoic Acid (PFDoDA)	1.9	2.0	ng/L	2.00		95.9	50-150			
Perfluoroheptanoic Acid (PFHpA)	2.0	2.0	ng/L	2.00		98.5	50-150			
Perfluorohexanesulfonic Acid (PFHxS)	1.8	2.0	ng/L	1.82		97.2	50-150			
Perfluorohexanoic Acid (PFHxA)	2.2	2.0	ng/L	2.00		109	50-150			
Perfluorononanoic Acid (PFNA)	1.9	2.0	ng/L	2.00		97.2	50-150			
Perfluorooctanesulfonic Acid (PFOS)	1.8	2.0	ng/L	1.85		95.2	50-150			
Perfluorooctanoic Acid (PFOA)	2.2	2.0	ng/L	2.00		108	50-150			
Perfluorotetradecanoic Acid (PFTeDA)	2.1	2.0	ng/L	2.00		105	50-150			
Perfluorotridecanoic Acid (PFTTrDA)	2.0	2.0	ng/L	2.00		100	50-150			
Perfluoroundecanoic Acid (PFUnA)	2.0	2.0	ng/L	2.00		102	50-150			
11-chloroeicosafluoro 3oxaundecane-1-sulfonic	1.5	2.0	ng/L	1.88		79.3	50-150			
9-chlorohexadecafluoro-3-ox anone-1-sulfonic Acid	1.6	2.0	ng/L	1.86		85.8	50-150			
4,8-dioxa-3H-perfluoronan oic Acid (ADONA)	2.1	2.0	ng/L	1.89		110	50-150			
<i>Surrogate: N-EtFOSAA-D5</i>	<i>152</i>		ng/L	<i>160</i>		<i>94.9</i>	<i>70-130</i>			
<i>Surrogate: 13C-PFDA</i>	<i>43.7</i>		ng/L	<i>40.0</i>		<i>109</i>	<i>70-130</i>			
<i>Surrogate: 13C-PFHxA</i>	<i>42.7</i>		ng/L	<i>40.0</i>		<i>107</i>	<i>70-130</i>			
<i>Surrogate: 13C-HFPO-DA</i>	<i>34.3</i>		ng/L	<i>40.0</i>		<i>85.7</i>	<i>70-130</i>			
LCS (9J28091-BS2)										
				Prepared: 10/28/19		Analyzed: 10/29/19				
Hexafluoropropylene oxide dimer acid (HFPO-DA)	1.5	2.0	ng/L	2.00		76.7	50-150			
N-EtFOSAA	2.0	2.0	ng/L	2.00		102	50-150			
N-MeFOSAA	2.0	2.0	ng/L	2.00		99.0	50-150			
Perfluorobutanesulfonic Acid (PFBS)	1.8	2.0	ng/L	1.77		102	50-150			

mailing
 P.O Box 432
 Riverside, CA 92502-0432

location
 6100 Quail Valley Court
 Riverside, CA 92507-0704

P 951 653 3351
 F 951 653 1662
 www.babcocklabs.com

CA ELAP No. 2698
 EPA No. CA00102
 NELAP No. OR4035
 LACSD No. 10119



BABCOCK Laboratories, Inc.
The Standard of Excellence for Over 100 Years

Client Name: FGL Environmental, Inc.
 Contact: Cindy Aguirre
 Address: 853 Corporation Street
 Santa Paula, CA 93060

Analytical Report: Page 6 of 11
 Project Name: No Project
 Project Number: SP 1914013 - (2-6317)

Report Date: 01-Nov-2019

Work Order Number: B9J2830
 Received on Ice (Y/N): Yes Temp: 1 °C

Travel Blank

Perfluorinated Compounds by EPA 537.1 - Batch Quality Control

Analyte(s)	Result	RDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Flag
Batch 9J28091 - SPE										
LCS (9J28091-BS2)										
				Prepared: 10/28/19		Analyzed: 10/29/19				
Perfluorodecanoic Acid (PFDA)	2.3	2.0	ng/L	2.00		117	50-150			
Perfluorododecanoic Acid (PFDoDA)	2.2	2.0	ng/L	2.00		108	50-150			
Perfluoroheptanoic Acid (PFHpA)	2.3	2.0	ng/L	2.00		116	50-150			
Perfluorohexanesulfonic Acid (PFHxS)	2.0	2.0	ng/L	1.82		108	50-150			
Perfluorohexanoic Acid (PFHxA)	2.2	2.0	ng/L	2.00		111	50-150			
Perfluorononanoic Acid (PFNA)	2.3	2.0	ng/L	2.00		116	50-150			
Perfluorooctanesulfonic Acid (PFOS)	1.9	2.0	ng/L	1.85		102	50-150			
Perfluorooctanoic Acid (PFOA)	2.4	2.0	ng/L	2.00		120	50-150			
Perfluorotetradecanoic Acid (PFTeDA)	2.0	2.0	ng/L	2.00		101	50-150			
Perfluorotridecanoic Acid (PFTTrDA)	2.1	2.0	ng/L	2.00		103	50-150			
Perfluoroundecanoic Acid (PFUnA)	2.2	2.0	ng/L	2.00		110	50-150			
11-chloroicosafuoro 3oxaundecane-1-sulfonic	1.6	2.0	ng/L	1.88		85.6	50-150			
9-chlorohexadecafluoro-3-ox anone-1-sulfonic Acid	1.7	2.0	ng/L	1.86		91.1	50-150			
4,8-dioxo-3H-perfluoronan oic Acid (ADONA)	2.2	2.0	ng/L	1.89		117	50-150			
Surrogate: N-EtFOSAA-D5	152		ng/L	160		95.3	70-130			
Surrogate: 13C-PFDA	42.9		ng/L	40.0		107	70-130			
Surrogate: 13C-PFHxA	37.8		ng/L	40.0		94.4	70-130			
Surrogate: 13C-HFPO-DA	30.5		ng/L	40.0		76.3	70-130			
LCS Dup (9J28091-BS2)										
				Prepared: 10/28/19		Analyzed: 10/29/19				
Hexafluoropropylene oxide dimer acid (HFPO-DA)	1.6	2.0	ng/L	2.00		80.5	50-150	15.7	200	
N-EtFOSAA	2.2	2.0	ng/L	2.00		109	50-150	18.0	200	
N-MeFOSAA	2.0	2.0	ng/L	2.00		100	50-150	5.00	200	
Perfluorobutanesulfonic Acid (PFBS)	1.8	2.0	ng/L	1.77		99.7	50-150	2.73	200	
Perfluorodecanoic Acid (PFDA)	2.2	2.0	ng/L	2.00		112	50-150	3.47	200	

mailing
 P.O Box 432
 Riverside, CA 92502-0432

location
 6100 Quail Valley Court
 Riverside, CA 92507-0704

P 951 653 3351
 F 951 653 1662
 www.babcocklabs.com

CA ELAP No. 2698
 EPA No. CA00102
 NELAP No. OR4035
 LACSD No. 10119



BABCOCK Laboratories, Inc.
The Standard of Excellence for Over 100 Years

Client Name: FGL Environmental, Inc.
 Contact: Cindy Aguirre
 Address: 853 Corporation Street
 Santa Paula, CA 93060

Analytical Report: Page 7 of 11
 Project Name: No Project
 Project Number: SP 1914013 - (2-6317)

Report Date: 01-Nov-2019

Work Order Number: B9J2830
 Received on Ice (Y/N): Yes Temp: 1 °C

Travel Blank

Perfluorinated Compounds by EPA 537.1 - Batch Quality Control

Analyte(s)	Result	RDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Flag
Batch 9J28091 - SPE										
LCS Dup (9J28091-BSD1)										
				Prepared: 10/28/19		Analyzed: 10/29/19				
Perfluorododecanoic Acid (PFDoDA)	2.1	2.0	ng/L	2.00		107	50-150	10.8	200	
Perfluoroheptanoic Acid (PFHpA)	2.2	2.0	ng/L	2.00		108	50-150	8.97	200	
Perfluorohexanesulfonic Acid (PFHxS)	2.0	2.0	ng/L	1.82		109	50-150	11.7	200	
Perfluorohexanoic Acid (PFHxA)	2.1	2.0	ng/L	2.00		107	50-150	1.81	200	
Perfluorononanoic Acid (PFNA)	2.4	2.0	ng/L	2.00		118	50-150	19.4	200	
Perfluorooctanesulfonic Acid (PFOS)	2.0	2.0	ng/L	1.85		106	50-150	11.1	200	
Perfluorooctanoic Acid (PFOA)	2.2	2.0	ng/L	2.00		112	50-150	4.16	200	
Perfluorotetradecanoic Acid (PFTeDA)	2.0	2.0	ng/L	2.00		102	50-150	2.97	200	
Perfluorotridecanoic Acid (PFTTrDA)	2.0	2.0	ng/L	2.00		101	50-150	0.364	200	
Perfluoroundecanoic Acid (PFUnA)	2.0	2.0	ng/L	2.00		102	50-150	0.332	200	
11-chloroeicosafluoro 3oxaundecane-1-sulfonic	1.6	2.0	ng/L	1.88		83.5	50-150	5.09	200	
9-chlorohexadecafluoro-3-ox anone-1-sulfonic Acid	1.6	2.0	ng/L	1.86		84.9	50-150	1.11	200	
4,8-dioxa-3H-perfluorononan oic Acid (ADONA)	2.1	2.0	ng/L	1.89		114	50-150	3.63	200	
<i>Surrogate: N-EtFOSAA-D5</i>	155		ng/L	160		97.2	70-130			
<i>Surrogate: 13C-PFDA</i>	43.1		ng/L	40.0		108	70-130			
<i>Surrogate: 13C-PFHxA</i>	40.0		ng/L	40.0		99.9	70-130			
<i>Surrogate: 13C-HFPO-DA</i>	32.9		ng/L	40.0		82.4	70-130			
LCS Dup (9J28091-BSD2)										
				Prepared: 10/28/19		Analyzed: 10/29/19				
Hexafluoropropylene oxide dimer acid (HFPO-DA)	1.6	2.0	ng/L	2.00		81.3	50-150	5.76	200	
N-EtFOSAA	2.0	2.0	ng/L	2.00		101	50-150	1.01	200	
N-MeFOSAA	1.9	2.0	ng/L	2.00		94.6	50-150	4.62	200	
Perfluorobutanesulfonic Acid (PFBS)	1.7	2.0	ng/L	1.77		96.3	50-150	5.32	200	
Perfluorodecanoic Acid (PFDA)	1.9	2.0	ng/L	2.00		95.5	50-150	20.3	200	
Perfluorododecanoic Acid (PFDoDA)	2.0	2.0	ng/L	2.00		99.0	50-150	8.41	200	

mailing
 P.O Box 432
 Riverside, CA 92502-0432

location
 6100 Quail Valley Court
 Riverside, CA 92507-0704

P 951 653 3351
 F 951 653 1662
 www.babcocklabs.com

CA ELAP No. 2698
 EPA No. CA00102
 NELAP No. OR4035
 LACSD No. 10119



BABCOCK Laboratories, Inc.
The Standard of Excellence for Over 100 Years

Client Name: FGL Environmental, Inc.
 Contact: Cindy Aguirre
 Address: 853 Corporation Street
 Santa Paula, CA 93060

Analytical Report: Page 8 of 11
 Project Name: No Project
 Project Number: SP 1914013 - (2-6317)

Report Date: 01-Nov-2019

Work Order Number: B9J2830
 Received on Ice (Y/N): Yes Temp: 1 °C

Travel Blank

Perfluorinated Compounds by EPA 537.1 - Batch Quality Control

Analyte(s)	Result	RDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Flag
Batch 9J28091 - SPE										
LCS Dup (9J28091-BSD2)										
				Prepared: 10/28/19		Analyzed: 10/29/19				
Perfluoroheptanoic Acid (PFHpA)	2.0	2.0	ng/L	2.00		98.6	50-150	15.8	200	
Perfluorohexanesulfonic Acid (PFHxS)	1.8	2.0	ng/L	1.82		99.3	50-150	8.00	200	
Perfluorohexanoic Acid (PFHxA)	2.1	2.0	ng/L	2.00		107	50-150	3.87	200	
Perfluorononanoic Acid (PFNA)	2.1	2.0	ng/L	2.00		103	50-150	12.1	200	
Perfluorooctanesulfonic Acid (PFOS)	2.0	2.0	ng/L	1.85		107	50-150	4.73	200	
Perfluorooctanoic Acid (PFOA)	2.0	2.0	ng/L	2.00		102	50-150	15.9	200	
Perfluorotetradecanoic Acid (PFTeDA)	1.9	2.0	ng/L	2.00		94.6	50-150	6.71	200	
Perfluorotridecanoic Acid (PFTrDA)	1.9	2.0	ng/L	2.00		95.2	50-150	8.25	200	
Perfluoroundecanoic Acid (PFUnA)	2.0	2.0	ng/L	2.00		102	50-150	8.31	200	
11-chloroeicosafluoro 3oxaundecane-1-sulfonic	1.7	2.0	ng/L	1.88		89.9	50-150	4.90	200	
9-chlorohexadecafluoro-3-ox anone-1-sulfonic Acid	1.6	2.0	ng/L	1.86		84.9	50-150	7.05	200	
4,8-dioxa-3H-perfluoronan oic Acid (ADONA)	1.9	2.0	ng/L	1.89		103	50-150	12.8	200	
<i>Surrogate: N-EtFOSAA-D5</i>	<i>148</i>		ng/L	<i>160</i>		<i>92.5</i>	<i>70-130</i>			
<i>Surrogate: 13C-PFDA</i>	<i>41.2</i>		ng/L	<i>40.0</i>		<i>103</i>	<i>70-130</i>			
<i>Surrogate: 13C-PFHxA</i>	<i>38.8</i>		ng/L	<i>40.0</i>		<i>97.1</i>	<i>70-130</i>			
<i>Surrogate: 13C-HFPO-DA</i>	<i>29.2</i>		ng/L	<i>40.0</i>		<i>73.0</i>	<i>70-130</i>			
Duplicate (9J28091-DUP1)										
			Source: B9J2309-01		Prepared: 10/28/19 Analyzed: 10/29/19					
Hexafluoropropylene oxide dimer acid (HFPO-DA)	ND	2.0	ng/L		ND				200	
N-EtFOSAA	ND	2.0	ng/L		ND				200	
N-MeFOSAA	ND	2.0	ng/L		ND				200	
Perfluorobutanesulfonic Acid (PFBS)	0.85	2.0	ng/L		0.96			11.8	200	
Perfluorodecanoic Acid (PFDA)	ND	2.0	ng/L		ND				200	
Perfluorododecanoic Acid (PFDoDA)	ND	2.0	ng/L		ND				200	
Perfluoroheptanoic Acid (PFHpA)	0.27	2.0	ng/L		0.27			2.56	200	

mailing
 P.O Box 432
 Riverside, CA 92502-0432

location
 6100 Quail Valley Court
 Riverside, CA 92507-0704

P 951 653 3351
 F 951 653 1662
 www.babcocklabs.com

CA ELAP No. 2698
 EPA No. CA00102
 NELAP No. OR4035
 LACSD No. 10119



BABCOCK Laboratories, Inc.
The Standard of Excellence for Over 100 Years

Client Name: FGL Environmental, Inc.
 Contact: Cindy Aguirre
 Address: 853 Corporation Street
 Santa Paula, CA 93060

Analytical Report: Page 9 of 11
 Project Name: No Project
 Project Number: SP 1914013 - (2-6317)

Report Date: 01-Nov-2019

Work Order Number: B9J2830
 Received on Ice (Y/N): Yes Temp: 1 °C

Travel Blank

Perfluorinated Compounds by EPA 537.1 - Batch Quality Control

Analyte(s)	Result	RDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Flag
Batch 9J28091 - SPE										
Duplicate (9J28091-DUP1)										
			Source: B9J2309-01		Prepared: 10/28/19		Analyzed: 10/29/19			
Perfluorohexanesulfonic Acid (PFHxS)	0.96	2.0	ng/L		1.3			26.9	200	
Perfluorohexanoic Acid (PFHxA)	1.0	2.0	ng/L		1.1			2.84	200	
Perfluorononanoic Acid (PFNA)	ND	2.0	ng/L		ND				200	
Perfluorooctanesulfonic Acid (PFOS)	ND	2.0	ng/L		ND				200	
Perfluorooctanoic Acid (PFOA)	0.22	2.0	ng/L		0.20			10.5	200	
Perfluorotetradecanoic Acid (PFTeDA)	ND	2.0	ng/L		ND				200	
Perfluorotridecanoic Acid (PFTrDA)	ND	2.0	ng/L		ND				200	
Perfluoroundecanoic Acid (PFUnA)	ND	2.0	ng/L		ND				200	
11-chloroeicosafuoro 3oxaundecane-1-sulfonic	ND	2.0	ng/L		ND				200	
9-chlorohexadecafluoro-3-ox anone-1-sulfonic Acid	ND	2.0	ng/L		ND				200	
4,8-dioxa-3H-perfluoronan oic Acid (ADONA)	ND	2.0	ng/L		ND				200	
Surrogate: N-EtFOSAA-D5	143		ng/L	160		89.6	70-130			
Surrogate: 13C-PFDA	41.1		ng/L	40.0		103	70-130			
Surrogate: 13C-PFHxA	36.7		ng/L	40.0		91.7	70-130			
Surrogate: 13C-HFPO-DA	33.5		ng/L	40.0		83.8	70-130			



BABCOCK Laboratories, Inc.
The Standard of Excellence for Over 100 Years

Client Name: FGL Environmental, Inc.
Contact: Cindy Aguirre
Address: 853 Corporation Street
Santa Paula, CA 93060

Analytical Report: Page 10 of 11
Project Name: No Project
Project Number: SP 1914013 - (2-6317)

Report Date: 01-Nov-2019

Work Order Number: B9J2830
Received on Ice (Y/N): Yes Temp: 1 °C

Notes and Definitions

- ND: Analyte NOT DETECTED at or above the Method Detection Limit (**if MDL is reported**), otherwise at or above the Reportable Detection Limit (RDL)
- NR: Not Reported
- RDL: Reportable Detection Limit
- MDL: Method Detection Limit

* / (Non-NELAP): NELAP does not offer accreditation for this analyte/method/matrix combination

Approval

Enclosed are the analytical results for the submitted sample(s). Babcock Laboratories certify the data presented as part of this report meet the minimum quality standards in the referenced analytical methods. Any exceptions have been noted.

Cindy A. Waddell

cc:

e-Standard_No Alias.rpt

This report applies only to the sample(s) analyzed. As a mutual protection to clients, the public, and Babcock Laboratories, Inc., this report is submitted and accepted for the exclusive use of the Client to whom it is addressed. Interpretation and use of the information contained within this report are the sole responsibility of the Client. Babcock Laboratories, Inc. is not responsible for any misinformation or consequences that may result from misinterpretation or improper use of this report. This report is not to be modified or abbreviated in any way. Additionally, this report is not to be used, in whole or in part, in any advertising or publicity matter without written authorization from Babcock Laboratories, Inc. The liability of Babcock Laboratories, Inc. is limited to the actual cost of the requested analyses, unless otherwise agreed upon in writing. There is no other warranty expressed or implied.

mailing
P.O Box 432
Riverside, CA 92502-0432

location
6100 Quail Valley Court
Riverside, CA 92507-0704

P 951 653 3351
F 951 653 1662
www.babcocklabs.com

CA ELAP No. 2698
EPA No. CA00102
NELAP No. OR4035
LACSD No. 10119



BABCOCK Laboratories, Inc.
The Standard of Excellence for Over 100 Years

Client Name: FGL Environmental, Inc.
Contact: Cindy Aguirre
Address: 853 Corporation Street
Santa Paula, CA 93060

Analytical Report: Page 11 of 11
Project Name: No Project
Project Number: SP 1914013 - (2-6317)

Report Date: 01-Nov-2019

Work Order Number: **B9J2830**
Received on Ice (Y/N): Yes Temp: 1 °C

**Subcontract to
Babcock Laboratories, Inc.**

Client: Fruit Growers Laboratory, Inc. Address: FGL Environmental, Inc. 853 Corporation St. Santa Paula, CA 93060-3005 Phone: Fax: Contact Person: Project Name: SP 1914013 - (2-6317) Purchase Order Number:				Method of Sampling: Composite(C) Grab(G) Type of Sample: **SEE REVERSE SIDE** Potable(P) Non-Potable(NP) Ag Water(AgW) Bacti Type: Other(O) System(SYS) Source(SR) Waste(W) Bacti Reason: Routine(ROUT) Repeat(RPT) Replace(RPL) Other(O) Special(SPL) Sub Contracted-PFOS/PFOA EPA 537.1 *** Order 250 mL poly. bottles with Trizma from Babcock + 1 FB per well *** *** State form EDT required - 5610022-001 & 5610022-003*** 250ml(P)-Trizma Sub Contracted-PFOS/PFOA EPA 537.1 250ml(P)-Trizma												Map Ref Recd Reagent water, filled 25% EVS 10/18/19 1 °C T62 On Ice <input checked="" type="radio"/> YES <input type="radio"/> NO Samples Intact <input checked="" type="radio"/> YES <input type="radio"/> NO	
Sampler(s) Mark Albertsen Compositor Setup Date: ___/___/___ Time: ___/___/___ Lab Number:																	
Samp Num	Location Description	Date Sampled	Time Sampled														
1	Well 01 (1989)	10/15/19	08:43	G	DW												
2	Well 01 Field Blank	10/15/19	08:43	G	LBW												
3	Well 03 - Active	10/15/19	09:05	G	DW												
4	Well 03 Field Blank	10/15/19	09:05	G	LBW												
Remarks:				Relinquished: <i>[Signature]</i> Date: 10/15/19 Time: 17:30 Received By: GSO Date: 10/16/19 Time: 9:52													

B9J2830
Rc'd: 10/18/2019 09:52
EVS Temp Gun Id: 62



BABCOCK Laboratories, Inc.
The Standard of Excellence for Over 100 Years

FGL Environmental, Inc.

Cindy Aguirre
853 Corporation Street
Santa Paula CA, 93060

Received: 10/18/19 09:52

Received on Ice (Y/N): Yes

Temperature: 1 ° C

Project: No Project

Project Number: SP 1914013 - (2-6317)

Project Manager: Cindy Aguirre

Reported: 11/1/2019

Work Order B9J2830

California Drinking Water regulations require that the results for specific sources be reported to the State in electronic format. The notation "EDT" will appear on the header page of each report if this information has been sent to the State database. Also, enclosed is a copy of the Chain of Custody document (if received with your sample(s)). If you have any questions or concerns regarding this report please contact our client service department.

The following samples are included in this report:

<u>Lab Number</u>	<u>Sample Name</u>	<u>Sampled</u>	<u>Sampled By</u>	<u>Received</u>	<u>Submitted By</u>
B9J2830-01	Well 01 (1989)	10/15/19 8:43	Mark Albertsen	10/18/19 9:52	GSO
B9J2830-03	Well 03 - Active	10/15/19 9:05	Mark Albertsen	10/18/19 9:52	GSO



BABCOCK Laboratories, Inc.
The Standard of Excellence for Over 100 Years

EDT

ORGANIC ANALYSIS (9/99)

Date of Report: 19/11/01 Sample ID No. B9J2830-01
Laboratory Project Cindy A. Waddell
Name: Babcock Laboratories, Inc. Manager:
Name of Sampler: Mark Albertsen Employed By: Client
Date/Time Sample Date/Time Sample Date Analyses
Collected: 19/10/15 08:43 Received @ Lab: 19/10/18 09:52 Completed: 19/10/30

System System 5610022
Name: VENTURA RIVER WATER DISTRICT Number:
Name or Number of Sample Source: WELL 01 (1989)

User ID: TAP Station Number: 5610022-001
Date/Time of Sample: 19/10/15 08:43 Laboratory Code: 4790
YY MM DD TTTT YY MM DD
Date Analyses Completed: 19/10/30
Submitted by: Phone #:

Table with 7 columns: TEST METHOD, UNITS, CHEMICAL, ENTRY #, ANALYSES RESULTS, MCL ug/L, DLR. Rows include EPA 537.1 tests for various perfluorinated compounds like 11-chloroeicosafuoro 3oxaundecane-1-sulfonic Acid, 4,8-dioxa-3H-perfluorononanoic Acid (ADONA), etc.



BABCOCK Laboratories, Inc.
The Standard of Excellence for Over 100 Years

Page 2 of 4- Organic Chemicals Form

Sample ID No.

B9J2830-01

TEST METHOD	UNITS	CHEMICAL	ENTRY #	ANALYSES RESULTS	MCL ug/L	DLR
EPA 537.1	ng/L	Perfluoroundecanoic Acid (PFUnA)	C2814	< 2.0		2.0



BABCOCK Laboratories, Inc.
The Standard of Excellence for Over 100 Years

EDT

ORGANIC ANALYSIS (9/99)

Date of Report: 19/11/01 Sample ID No. B9J2830-03
Laboratory Project Cindy A. Waddell
Name: Babcock Laboratories, Inc. Manager:
Name of Sampler: Mark Albertsen Employed By: Client
Date/Time Sample Date/Time Sample Date Analyses
Collected: 19/10/15 09:05 Received @ Lab: 19/10/18 09:52 Completed: 19/10/30

System System 5610022
Name: VENTURA RIVER WATER DISTRICT Number:
Name or Number of Sample Source: WELL 03 - INACTIVE

User ID: TAP Station Number: 5610022-003
Date/Time of Sample: 19/10/15 09:05 Laboratory Code: 4790
YY MM DD TTTT YY MM DD
Date Analyses Completed: 19/10/30
Submitted by: Phone #:

Table with 7 columns: TEST METHOD, UNITS, CHEMICAL, ENTRY #, ANALYSES RESULTS, MCL ug/L, DLR. Rows include EPA 537.1 tests for various perfluorinated compounds like 11-chloroeicosafuoro 3oxaundecane-1-sulfonic Acid, 4,8-dioxa-3H-perfluorononanoic Acid (ADONA), etc.



BABCOCK Laboratories, Inc.
The Standard of Excellence for Over 100 Years

Page 4 of 4- Organic Chemicals Form

Sample ID No.

B9J2830-03

TEST METHOD	UNITS	CHEMICAL	ENTRY #	ANALYSES RESULTS	MCL ug/L	DLR
EPA 537.1	ng/L	Perfluoroundecanoic Acid (PFUnA)	C2814	< 2.0		2.0



The following analytical flags and qualifiers are associated with this report:

Lab Number Flagged Analyte Method Flag Sample Qualifier

Notes and Definitions

- < Analyte NOT DETECTED at or above the DLR
DLR Detection Limit for Reporting. A result below this level is considered a non-detect
MCL Maximum Contaminant Level. A result above this level will exceed the compliance limit.
* / ' ' : NELAP does not offer accreditation for this analyte/method/matrix combination

Approval

Enclosed are the analytical results for the submitted sample(s). Babcock Laboratories certify the data presented as part of this report meet the minimum quality standards in the referenced analytical methods. Any exceptions have been noted.

Cindy A. Waddell (handwritten signature)

Cindy A. Waddell

cc: e-CA Write-On.rpt

This report applies only to the sample(s) analyzed. As a mutual protection to clients, the public, and Babcock Laboratories, Inc., this report is submitted and accepted for the exclusive use of the Client to whom it is addressed. Interpretation and use of the information contained within this report are the sole responsibility of the Client. Babcock Laboratories, Inc. is not responsible for any misinformation or consequences that may result from misinterpretation or improper use of this report. This report is not to be modified or abbreviated in any way. Additionally, this report is not to be used, in whole or in part, in any advertising or publicity matter without written authorization from Babcock Laboratories, Inc. The liability of Babcock Laboratories, Inc. is limited to the actual cost of the requested analyses, unless otherwise agreed upon in writing. There is no other warranty expressed or implied.





BABCOCK Laboratories, Inc.
The Standard of Excellence for Over 100 Years

**Subcontract to
 Babcock Laboratories, Inc.**

Client: Fruit Growers Laboratory, Inc. Address: FGL Environmental, Inc. 853 Corporation St. Santa Paula, CA 93060-3005 Phone: _____ Fax: _____ Contact Person: _____ Project Name: SP 1914013 - (2-6317) Purchase Order Number: _____ Sampler(s) Mark Albertsen Compositor Setup Date: ___/___/___ Time: ___/___/___ Lab Number: _____				Method of Sampling: Composite(C) Grab(G) Type of Sample: **SEE REVERSE SIDE** Potable(P) Non-Potable(NP) Ag Water(AgW) Bacti Type: Other(O) System(SYS) Source(SR) Waste(W) Bacti Reason: Routine(ROUT) Repeat(RPT) Replace(RPL) Other(O) Special(SPL)												Map Ref: _____					
Sub Contracted-PFOS/PFOA EPA 537.1 *** Order 250 mL poly. bottles with Trizma from Babcock + 1 FB per well *** ***State form EDT required - 5610022-001 & 5610022-003*** 250ml(P)-Trizma Sub Contracted-PFOS/PFOA EPA 537.1 250ml(P)-Trizma				1 °C T62 On Ice <input checked="" type="radio"/> YES <input type="radio"/> NO Samples Intact <input checked="" type="radio"/> YES <input type="radio"/> NO * Recd Reagent water, filled 25%. EVS 10/18/19																	
Samp Num	Location Description	Date Sampled	Time Sampled	Method	Type	Potable	Bacti Type	Bacti Reason	Other	Special	Sub Contracted-PFOS/PFOA EPA 537.1	Sub Contracted-PFOS/PFOA EPA 537.1	Sub Contracted-PFOS/PFOA EPA 537.1	Sub Contracted-PFOS/PFOA EPA 537.1	Sub Contracted-PFOS/PFOA EPA 537.1	Sub Contracted-PFOS/PFOA EPA 537.1	Sub Contracted-PFOS/PFOA EPA 537.1	Sub Contracted-PFOS/PFOA EPA 537.1	Sub Contracted-PFOS/PFOA EPA 537.1	Sub Contracted-PFOS/PFOA EPA 537.1	
1	Well 01 (1989)	10/15/19	08:43	G	DW						2										
2	Well 01 Field Blank	10/15/19	08:43	G	LBW								1								
3	Well 03 - Active	10/15/19	09:05	G	DW						2										
4	Well 03 Field Blank	10/15/19	09:05	G	LBW								1								
Remarks:				Relinquished By: <i>[Signature]</i> Date: 10/15/19 Time: 17:30 Received By: GSO Date: 10/16/19 Time: 9:52		Relinquished Date: _____ Time: _____ Received By: <i>[Signature]</i> Date: 10/16/19 Time: 9:52		Relinquished Date: _____ Time: _____ Received By: _____ Date: _____ Time: _____		Relinquished Date: _____ Time: _____ Received By: _____ Date: _____ Time: _____		Relinquished Date: _____ Time: _____ Received By: _____ Date: _____ Time: _____		Relinquished Date: _____ Time: _____ Received By: _____ Date: _____ Time: _____		Relinquished Date: _____ Time: _____ Received By: _____ Date: _____ Time: _____		Relinquished Date: _____ Time: _____ Received By: _____ Date: _____ Time: _____		Relinquished Date: _____ Time: _____ Received By: _____ Date: _____ Time: _____	

B9J2830
 Rc'd: 10/18/2019 09:52
 EVS Temp Gun Id :62



				5206:09/02/2019				TEST DESCRIPTION - See Reverse side for Container, Preservative and Sampling information											
Client: Ventura River Water District Address: 409 Old Baldwin Rd. Ojai, CA 93023 Phone: (805)646-3403 Fax: (805)646-3860 Contact Person: Bert Rapp Project Name: PFOS & PFOA Monitoring Purchase Order Number: Quote Number: SP 20190903-02				Method of Sampling: Composite(C) Grab(G) Type of Sample **SEE REVERSE SIDE** Potable(P) Non-Potable(NP) Ag Water(AgW) Bacti Type: Other(O) System(SYS) Source(SR) Waste(W) Bacti Reason: Routine(ROUT) Repeat(RPT) Replace(RPL) Other(O) Special(SPL)				Sub Contracted-PFOS/PFOA EPA 537.1 *** Order 250 mL poly. bottles with Trizma from Babcock + 1 FB per well *** ***State form EDT required - 5610022-001 & 5610022-003*** 250ml(P)-Trizma Sub Contracted-PFOS/PFOA EPA 537.1 250ml(P)-Trizma											
Sampler(s) MARK ALBERTSEN Sampling Fee: _____ Pickup Fee: _____ Compositor Setup Date: ___/___/___ Time: ___/___																			
Lab Number: SP 1614013 2-6317																			
Samp Num	Location Description	Date Sampled	Time Sampled																
1	Well 01 (1989)	10-15-19	0813	G	DW	P	SR	SPL	Sub-2										
2	Well 01 Field Blank	10-15-19	0843	G	LBW														
3	Well 03 - Active	10-15-19	0905	G	DW	P	SR	SPL	Sub-2										
4	Well 03 Field Blank	10-15-19	0905	G	LBW														
Remarks:				Relinquished				Date: 10-15-19 Time: 0915				Relinquished				Date: 10/15/19 Time: 1440			
				Received By: MARK ALBERTSEN				Date: 10/15/19 Time: 1251				Received By: [Signature]				Date: 10/15/19 Time: 1440			

Corporate Offices & Laboratory

853 Corporation Street
 Santa Paula, CA 93060
 Phone: (805) 392-2000
 Env Fax: (805) 525-4172 / Ag Fax: (805) 392-2063

Office & Laboratory

2500 Stagecoach Road
 Stockton, CA 95215
 Phone: (209) 942-0182
 Fax: (209) 942-0423

Office & Laboratory

563 E. Lindo
 Chico, CA 95926
 Phone: (530) 343-5818
 Fax: (530) 343-3807

Office & Laboratory

3442 Empresa Drive, Suite D
 San Luis Obispo, CA 93401
 Phone: (805) 783-2940
 Fax: (805) 783-2912

Office & Laboratory

9415 W. Goshen Avenue
 Visalia, CA 93291
 Phone: (559) 734-9473
 Fax: (559) 734-8435

Subcontract to Babcock Laboratories, Inc.

Client: Fruit Growers Laboratory, Inc. Address: FGL Environmental, Inc. 853 Corporation St. Santa Paula, CA 93060-3005 Phone: _____ Fax: _____ Contact Person: Project Name: SP 1914013 - (2-6317) Purchase Order Number: _____				Map Ref: _____
Sampler(s) Mark Albertsen Compositor Setup Date: ___/___/___ Time: ___/___				Method of Sampling: Composite(C) Grab(G) Type of Sample **SEE REVERSE SIDE** Potable(P) Non-Potable(NP) Ag Water(AgW) Bacti Type: Other(O) System(SYS) Source(SR) Waste(W) Bacti Reason: Routine(ROUT) Repeat(RPT) Replace(RPL) Other(O) Special(SPL)
Lab Number: _____				
Samp Num	Location Description	Date Sampled	Time Sampled	
1	Well 01 (1989)	10/15/19	08:43	
2	Well 01 Field Blank	10/15/19	08:43	
3	Well 03 - Active	10/15/19	09:05	
4	Well 03 Field Blank	10/15/19	09:05	
Sub Contracted-PFOS/PFOA EPA 537.1 *** Order 250 mL poly. bottles with Trizma from Babcock + 1 FB per well *** ***State form EDT required - 5610022-001 & 5610022-003*** 250ml(P)-Trizma Sub Contracted-PFOS/PFOA EPA 537.1 250ml(P)-Trizma				
Remarks: _____				Relinquished Date: _____ Time: _____ Received By: _____ Date: _____ Time: _____
Relinquished Date: _____ Time: _____ Received By: _____ Date: _____ Time: _____				Relinquished Date: _____ Time: _____ Received By: _____ Date: _____ Time: _____

Condition Upon Receipt (Attach to COC)

Sample Receipt at SP:

1. Number of ice chests/packages received: 1
2. Shipper tracking numbers _____
3. Were samples received in a chilled condition?
Temps: ROI / 13c / _____ / _____ / _____ / _____ / _____
4. Surface water (SWTR) bact samples: A sample that has a temperature upon receipt of >10C, whether iced or not, should be flagged unless the time since sample collection has been less than two hours.
5. Do the number of bottles received agree with the COC? Yes No N/A
6. Verify sample date, time, sampler Yes No N/A
7. Were the samples received intact? (i.e. no broken bottles, leaks, etc.) Yes No
8. Were sample custody seals intact? Yes No N/A

Sample Verification, Labeling and Distribution:

1. Were all requested analyses understood and acceptable? Yes No
2. Did bottle labels correspond with the client's ID's? Yes No
3. Were all bottles requiring sample preservation properly preserved? Yes No N/A FGL
[Exception: Oil & Grease, VOA and CrVI verified in lab]
4. VOAs checked for Headspace? Yes No N/A
5. Were all analyses within holding times at time of receipt? Yes No
6. Have rush or project due dates been checked and accepted? Yes No N/A

Include a copy of the COC for lab delivery. (Bacti. Inorganics and Radio)

Sample Receipt, Login and Verification completed by:

Reviewed and
Approved By

Inez Covarrubias



Digitally signed by Inez Covarrubias
Title: Sample Receiving
Date: 10/15/2019-15:51:03

Discrepancy Documentation:

Any items above which are "No" or do not meet specifications (i.e. temps) must be resolved.

1. Person Contacted: _____ Phone Number: _____
Initiated By: _____ Date: _____
Problem: _____

Resolution: _____

2. Person Contacted: _____ Phone Number: _____
Initiated By: _____ Date: _____
Problem: _____

Resolution: _____

(2006317)
Ventura River Water District
SP 1914013
IV/AB-10/15/2019-15:51:03